

NOVA-RELAX®

Relaxation and birthing pool



MADE IN
GERMANY

febromed

medical equipment for delivery rooms and birth homes

Headfirst to life

Advantages of birthing pool Nova- Relax®

1. **Wide bathtub edge** (100 mm) for shoring as well as for storage
2. **The depth of the bathtub is much more shallow**, in order to offer even the smallest possible working space. This also has a positive effect on the cleansing of the birth-tub.
3. **Inside, ergonomic tub handles** provide the best support for the birthing woman. Furthermore, the bath handles offer no possibility to deposit dirt and bacteria.
4. **Doubtful footrest** allows smaller as well as larger women to take an optimal and above all safe position in the childbirth.
5. **Wide staircases with laminated slides** ensure the necessary safety when entering the bath tub. The stainless steel handrail provides a secure hold.
6. **Easy positioning** of the stairs at any position by integrated castor system.
7. **Reduced capacity** of the bath tub as opposed to other baths, allows faster emptying and saves costs for consumption water.


Technical data:

● Length:	1750 mm
● Width:	1250 mm
● Height:	740 mm
● Width of pool rim	100 mm
● Weight empty:	65 kg
● Water filling:	up to 250 l
● Water level:	580 mm



Pool grips – designed with midwives

-taking into account the hygienic regulations –



Specially developed open chromed handles are installed outside the water filling of the birthing and relaxation bathtub and comply with the highest hygienic regulations.

The open, fully encapsulated fixings of the handles are located outside the interior of the bathtub, thus avoiding permanent contamination with sewage.


An ergonomic positioning of the open chromed handles, gives the hands of the mother the possibility to form a line with the forearm. The body-friendly grip position allows to take an active birth posture.

Compared to the closed handles a simpler and more thorough cleaning of the open chrome handles is ensured.



The swivelling cord Variotrac® in combination with the birthing and relaxation pool

Equipment



Inflow tap
With 2 pluggable inflow arcs for a faster filling of the tub




PALL- Filter
For prevention of water germ infection and legionella infection.




Option for stair landing
2 castors at the handrail, by tilting the staircase manoeuvring is very easy



Under water spotlights
Provide subtle lighting for low-light areas



Lighting set spectrallight
Ensures a pleasant bathing experience through atmospheric lighting effects in the water



heating
Prevents a quick cooling of the bath water.



Integrated holding system
Rotatable, incl. 5 eyelets, carabiner and rope



PELVITUB®-cushion
Properly fixing by 9 suction cups, multifunctional in use



febromed

Febromed GmbH & Co. KG

Zum Mühlenteich 1

D-59302 Oelde

Phone +49 (0) 2522-30532

Fax +49 (0) 2522-308489

Web: www.febromed.com

E-Mail: info@febromed.de